

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: July 2017 -Rev. 9/13/2017- Void After: July 2018

Product: Ceramic Plumbing Fixtures File No. 7433

Issued To: GUANGDONG MINJIE SANITARY WARE CO.,LTD
Chengongwei, South Gate
Industrial Zone
Fengtang Town
Chaozhou, GUANGDONG 515646
China

Identification: Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 9/13/2017-

Void After: July 2018

Product: Ceramic Plumbing Fixtures

File No. 7433

Issued To: GUANGDONG MINJIE SANITARY WARE CO.,LTD

tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics: Ceramic plumbing fixtures may include water closets, lavatories,



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 9/13/2017-

Void After: July 2018

Product: Ceramic Plumbing Fixtures

File No. 7433

Issued To: GUANGDONG MINJIE SANITARY WARE CO.,LTD

urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada

Products are in compliance with the following standard(s):

ASME A112.19.2-2013/CSA B45.1-13 including Update No. 1 dated October 2013



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 9/13/2017-

Void After: July 2018

Product: Ceramic Plumbing Fixtures

File No. 7433

Issued To: GUANGDONG MINJIE SANITARY WARE CO.,LTD

MODELS:

Note: Models preceded by an "a" are also in compliance with ICC/ANSI A117.1.

<u>Model No.</u>	<u>Description</u>
MJ-202A	Basin under counter
MJ-202C	Basin under counter
MJ-202D	Basin under counter
MJ-202F	Basin under counter
MJ-202G	Basin under counter
MJ-202H	Basin under counter
MJ-202M	Basin under counter
MJ-202N	Basin under counter
MJ-205	Basin under counter
MJ-205B	Basin under counter
MJ-205C	Basin under counter
MJ-205E	Basin under counter
MJ-206	Basin under counter
MJ-206B	Basin under counter
MJ-209A	Basin countertop
MJ-209B	4 (4" faucet hole) Basin countertop MJ-209B 8 (8" faucet hole) Basin countertop
MJ-212B	Basin countertop
MJ-210A	Basin under counter
MJ-230	Basin countertop
MJ-287B	Basin countertop
MJ-838	Basin countertop
US3020	Ceramic kitchen sink
UE3220	Ceramic Kitchen Sink
MJ-285K	Ceramic Kitchen Sink
MJ-285R	Ceramic Kitchen Sink

Water Closets:

<u>Model No.</u>	<u>Description</u>
aMJ-T103	One-piece toilet, elongated bowl, floor mounted, single flush 4.8L gravity fed
aMJ-T105	One-piece toilet, elongated bowl, floor mounted, single flush 4.8L gravity fed
MJ-76	One-piece toilet, elongated bowl, floor mounted, single flush 4.8L gravity fed
MJ-T102	One-piece toilet, elongated bowl, floor mounted, single flush 4.8L gravity fed
MJ-T104	One-piece toilet, elongated bowl, floor mounted, single flush 4.8L gravity fed



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 9/13/2017-

Void After: July 2018

Product: Ceramic Plumbing Fixtures

File No. 7433

Issued To: GUANGDONG MINJIE SANITARY WARE CO.,LTD

ADDITIONAL COMPANY INFO:

Amerisink, Inc.

<u>Model No.</u>	<u>Description</u>
AS202	Basin under counter
AS204	Basin under counter
AS222	Basin under counter
AS223	Basin under counter
AS225	Basin under counter

MS International Inc.

<u>Model No.</u>	<u>Description</u>
SIN-POR-USBWH-3020FSAF	Ceramic kitchen sink
SIN-POR-UDBWH5050-3220FSAF	Ceramic kitchen sink

SHENZHEN LUCKY RICH TRADING CO., LTD.

<u>Model No.</u>	<u>Description</u>
LR-A8212B	Basin countertop
LR-A8230	Basin countertop
LR-A8287B	Basin countertop
LR-A8838	Basin countertop
LR-S112	one-piece toilet
LR-S113	one-piece toilet
LR-S114	one-piece toilet
LR-S115	one-piece toilet
LR-S176	one-piece toilet
LR-UR1612	Basin under counter
LR-UR1612A	Basin under counter
LR-UR1812	Basin under counter
LR-UR1813	Basin under counter
LR-UR1911	Basin under counter
LR-UR1913	Basin under counter
LR-UV1411	Basin under counter
LR-UV1512A	Basin under counter
LR-UV1613	Basin under counter
LR-UV1714	Basin under counter
LR-UV1714A	Basin under counter
LR-UV1917	Basin countertop
LR-UV1919	Basin countertop